

Sigen PV Inverter 3.0 - 6.0 kW Single Phase

- Easy installation with side cabling
- Visible energy tracking on mySigen APP
- WLAN, Ethernet & 4G communication
- DC/AC ratio up to 2
- Dual MPP trackers
- IP66 protection rating

Sigen PV Inverter 3.0-6.0 kW Single Phase

Sigen PV Max	3.0 SP	3.6 SP	4.0 SP	4.6 SP	5.0 SP	6.0 SP	Units
DC Input							
Max. PV power	6000	7360	8000	9200	10000	12000	W
Max. DC input voltage		600					V
Nominal DC input voltage	350						V
Start-up voltage	100						V
MPPT voltage range	50 ~ 550						V
Number of MPP. trackers	2						
Number of PV strings per MPPT	1						
Max. input current per MPPT	16						А
Max. short-circuit current per MPPT	20						А
AC Output							
Nominal output power	3000	3680	4000	4600	5000	6000	W
Max. output apparent power	3300	3680	4400	5000	5500	6600	VA
Nominal output current	13.6	16.0	18.2	20.9	22.7	27.3	Α
Max. output current	15.0	16.0	20.0	22.7	25.0	30.0	Α
Nominal output voltage	220 / 230 / 240						V
Nominal grid frequency	50 / 60						Hz
Power factor	0.8 leading ~ 0.8 lagging						
Total current harmonic distortion	THDi < 2%						
Efficiency							
Max. efficiency	98.0%						
European efficiency	97.0%	97.1%	97.2%	97.3%	97.4%	97.4%	
Protection							
Safety protection feature	DC ground fault protection, Arc fault circuit interrupter, DC reverse polarity protectio Insulation monitoring, Residual current monitoring, Type II DC/AC surge protection, Anti-islanding protection, AC overcurrent/overvoltage/short-circuit protection.						
General Data							
Dimensions (W / H / D)	700 / 300 / 268						mm
Weight	18						kg
Storage temperature range	-40 ~ 70						°C
Operating temperature range	-30 ~ 60						°C
Relative humidity range	0% ~ 95%						
Max. operating altitude	4000						m
Cooling	Natural convection						
Ingress protection rating	IP66						
Installation method	Wall-mounted						
Communication	WLAN / Fast Ethernet / RS485 / Sigen CommMod (4G/3G/2G)						
Standard Compliance							
Standard ¹	IEC/EN	62109-1, IEC/EI	N 62109-2, IEC/	EN 62477, IEC/	EN 61000-6-1, II	EC/EN 61000-	6-2
	IEC/EN 62109-1, IEC/EN 62109-2, IEC/EN 62477, IEC/EN 61000-6-1, IEC/EN 61000-6-2						

^{1.} For all standards refer to the certificates category in the Sigenergy website.